Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

White



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	35 ³ / ₄ - 37 ⁵ / ₈ "
Width	29 ⁷ / ₈ "
Depth	25 ¹ / ₄ "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero[™] Pastry with Pizza Bake.

Power & control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Generous capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Quality and durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

Easy to clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

Safe and sound

Designed for your safety and convenience, this range features

full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

SPECIFICATIONS

Accessories	
2-pc grill system (Broil pan and	•
Broil pan	•
Full extension sliding shelves	2 sets (part 578776)
Hob rear trim (optional)	3" (part 81656)
Kick strip, stainless steel	Part 81660
Pyrolytic proof shelf runners	1 set

Capacity

Total capacity	3.6 cu ft
Usable capacity	2.9 cu ft

Cleaning

Acid resistant graphite enamel	•
Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable shelf runners	•

Controls

Audio feedback	•
Automatic cooking/minute	•
Automatic pre-set	•

FISHER & PAYKEL

QUICK REFERENCE GUIDE > OR30SCI6W1

Celsius/Fahrenheit	•
Electronic clock	•
High resolution display	•
Interior light	•
Laser etched graphics	•
Precise electronic temperature	•
Sabbath mode	•
Toughened fused glass	•
Turned stainless steel clock	•
Turned stainless steel dials	•
Main oven features	
Shelf positions	7
Oven features	
Automatic rapid pre-heat	•
Electronic oven control	•
Full extension telescopic	2 sets (part 578776)
Internal light	2 x 25W halogen (rear)
Pyrolytic proof shelf runners	•
Soft open/close door	•
True convection	•
Oven functions	
Aero Bake	•
Aero Broil	•
Aero™ Pastry with Pizza mode	•
Bake	•
Maxi Broil	•
Number of functions	9

Self-clean	•
True Aero	
Oven performance	
CoolTouch door	Triple glazed
Grill power	4050W
Warming drawer power	220W
Power requirements	
Amperage	51A (Recommended Electrical
Supply frequency	60Hz
Supply voltage	120 - 240V
Product dimensions	
Depth	25 ¹ / ₄ "
Depth Height	•
-	35 ³ / ₄ - 37 ⁵ / ₈ "
Height	35 ³ / ₄ - 37 ⁵ / ₈ "
Height Width	35 ³ / ₄ - 37 ⁵ / ₈ "
Height Width Rangetop features	35 ³ / ₄ - 37 ⁵ / ₈ " 29 ⁷ / ₈ "
Height Width Rangetop features Auto heat reduce	35 ³ / ₄ - 37 ⁵ / ₈ " 29 ⁷ / ₈ " 2 settings
Height Width Rangetop features Auto heat reduce Gentle heat	25 ¹ / ₄ " 35 ³ / ₄ - 37 ⁵ / ₈ " 29 ⁷ / ₈ " • 2 settings 9
Height Width Rangetop features Auto heat reduce Gentle heat Heat settings	35 ³ / ₄ - 37 ⁵ / ₈ " 29 ⁷ / ₈ " 2 settings
Height Width Rangetop features Auto heat reduce Gentle heat Heat settings Induction cooking technology	35 ³ / ₄ - 37 ⁵ / ₈ " 29 ⁷ / ₈ " 2 settings
Height Width Rangetop features Auto heat reduce Gentle heat Heat settings Induction cooking technology PowerBoost	35 ³ / ₄ - 37 ⁵ / ₈ " 29 ⁷ / ₈ " 2 settings

FISHER & PAYKEL

.

Rapid proof

Roast

Right front zone rating 1400 - 2200W Right rear zone rating 2300 - 3700W Safety Advanced cooling system Anti-tilt bracket Balanced oven door Catalytic venting system Child lock CoolTouch door Full extension telescopic Non-tip shelves Pan detection system Safety time out Spill containment 1/8 gallon Spillage auto off Surface hot indicators Warranty Parts and labor 2 years SKU 81963

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ✓ User Guide
- ✓ Energy Label
- Service & Warranty Booklet
- ✓ Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com