SHOWER Full Thermostatic Shower System with Transfer Valve (Rough & Trim)



GC5.122A-LM40S



Information

- 3/4" Thermostatic Valve
- 1/2" 4-Port Diverter Valve with 3 outlets and off function
- 8" Showerhead with 12" Arm & Flange
- Swivel Body Sprays (3 pieces)
- Handshower Set w/Wall Bracket
- Showerhead Features No-Clog, Easy-Clean Spray Nozzles
- 3/4" Thermostatic Rough Valve Flow Rate ~18 gpm @60 psi
- Flow rates: showerhead \leq 1.8 max gpm, handshower \leq 1.5 max gpm, body sprays \leq 1.5 max gpm each



- 18.4 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Built-in service stops
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- Thermostatic valve uses a paraffin wax cartridge







Steelnox® (Satin Nickel)



G-8041-LM40S-T



Information


- Single metal handle
- Decorative trim plate
- Use with G-8000 or G-8005 thermostatic rough valve
- To complete package, you must order rough valve
- ADA



Polished Chrome




Steelnox® (Satin Nickel)









Information


- Intended for use with Thermostatic Shower Systems
- 1/2" 3-way diverter valve with 3 outlets and off function
- Universal inlets/outlets with female threads
- Operates one function at a time
- Supplied with protective plastic cover
- CALGreen compliant depending on functions
- CALGreen








Steelnox® (Satin Nickel)









G-8066-LM40S-T



Information


- Single metal lever handle
- Decorative trim plate WITH off function
- Use with G-8050 (4-port thermostatic diverter valve w/stop)
- To complete package, you must order rough diverter valve
- ADA



Polished Chrome



Steelnox® (Satin Nickel)







- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen







Steelnox® (Satin Nickel)





- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

Available Finishes

- Polished Chrome G-8438-PC
- Brushed NickelG-8438-PN
- Polished Nickel
 G-8438-BNi
- Unfinished Brass*
 G-8438-UB*
- Steelnox
 - G-8438-SN
- Olive Brass*G-8438-OB*
- Architectual Black with Chrome Accents*
 G-8438-PC/BK*
- Gold* G-8438-AU*
- Brushed Gold*
 G-8438-BAU

Code Compliance

CALGreen

Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

^{*} Special order finish- call for availability





Information

- 12 no-clog, easy-clean silicon jets
 Metal ball-joint allows for 18° angle adjustment of body spray
- Brass wall escutcheon and flush-mounted trim
- 1/2" NPT female thread inlet
- Body spray flow rate ≤ 1.5 max gpm







Steelnox® (Satin Nickel)







- 12 no-clog, easy-clean silicone jets
- Metal ball-joint allows for 18° angle adjustment of body spray
- Brass wall escutcheon and Flushmounted trim
- 1/2" NPT female thread inlet
- Body spray flow rate ≤ 1.5 max gpm


Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty








Available Finishes

- Polished Chrome G-8497-PC
- Polished Nickel G-8497-PN
- Brushed Nickel
 G-8497-BNi
- Matte Black*G-8497-MBK*
- Architectural Black*
 G-8497-BK*
- Architectural White* G-8497-WT*
- Olive Brass
 G-8497-OB
- Gunmetal* G-8497-GM*
- Steelnox G-8497-SN
- OR'osa PVD*
 G-8497-RG*
- Onyx PVD*
 G-8497-OX*
- Polished Brass PVD*
 G-8497-PB*
- Brushed Brass PVD*
 G-8497-BB*
- Brushed Gold*
 G-8497-BAU*
- Gold*G-8497-AU*
- Gunmetal Distressed*
 G-8497-GMD*






- Includes arm and square flange
- 1/2" NPT male thread inlet
- For use with all showerheads (especially G-8438)







Steelnox® (Satin Nickel)





• Brass spiral flexible hose with conical nut



Polished Chrome



Steelnox® (Satin Nickel)





 Brass spiral fexible hose with conical nut

Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty




Available Finishes

- Polished Chrome G-8605-PC
- Polished Nickel G-8605-PN
- Brushed Nickel G-8605-BNi
- Unfinished Brushed Brass* G-8605-UBB*
- Unfinished Brass*
 G-8605-UB*
- Matte Black*
 G-8605-MBK*
- Architectural Black*
 G-8605-BK*
- Architectural White* G-8605-WT*
- Olive Brass*G-8605-OB*
- Gunmetal* G-8605-GM*
- Vintage Brushed Brass*
 G-8605-VBB*
- Steelnox (Satin Nickel)
 G-8605-SN
- 24K Brushed Gold*
 G-8605-BAU*
- 24K Gold*
 G-8605-AU*
- Gunmetal Distressed*
 G-8605-GMD*

^{*} Special order finish- call for availability





Information

• Solid brass construction







Steelnox® (Satin Nickel)





• Solid brass construction


Available Finishes

- Polished Chrome G-8632-PC
- Steelnox®
 G-8632-SN

Warranty

• Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs







Information

• 1/2" NPT female thread inlet







Steelnox® (Satin Nickel)





• 1/2" NPT female thread inlet


Available Finishes


- Polished Chrome G-8633-PC
- Steelnox®G-8633-SN
- Architectural Black w/Chrome Accents
 G-8633-PC/BK

Warranty

Limited lifetime warranty

For complete warranty information go to http://www.graff-faucets.com/en/info/faqs











- Smooth, all-metal handle
- Shower hose not included
- Handshower flow rate ≤1.5 max gpm
- Includes internal backflow preventer
- CALGreen



Polished Chrome



Steelnox® (Satin Nickel)

GRAFF



Product Features

- · Smooth, all-metal handle
- · Shower hose not included
- Includes internal backflow preventer
- Handshower flow rate ≤ 1.5 max gpm


Warranty


Limited lifetime warranty

For complete warranty information go to https://www.graff-designs.com/en/info/faqs

Available Finishes

- Polished Chrome G-8654-PC
- Polished Nickel G-8654-PN
- Brushed Nickel G-8654-BNi
- Matte Black*
 G-8654-MBK*
- Architectural Black*
 G-8654-BK*
- Architectural White*
 G-8654-WT*
- Steelnox (Satin Nickel)
 G-8654-SN
- Olive Bronze* G-8654-OB*
- Gunmetal* G-8654-GM*
- OR'osa PVD*
 G-8654-RG*
- Brushed OR'osa PVD*
 G-8654-BRG*
- Onyx PVD*
 G-8654-OX*
- Brushed Onyx PVD*
 G-8654-BOX*
- 24K Brushed Gold*
 G-8654-BAU*
- 24K Gold*
 G-8654-AU*





^{*} Special order finish- call for availability