

# **AQ4.000A-LM38S**



### Information

- Wall-mounted, battery-powered controller and holder; controls LED chromotherapy lighting
- Rainfall, rain curtain and cascade water functions
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤2.5 max gpm
- Includes trim plate & handle and stop/volume controls (x3)
- ADA



- 18.4 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Built-in service stops
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- Thermostatic valve uses a paraffin wax cartridge



Polished Chrome







- Single metal handle
- Decorative trim plate
- Use with G-8000 or G-8005 thermostatic rough valve
- To complete package, you must order rough valve
- ADA



Polished Chrome








- 3/4" universal inlets/outlets with female threads
- Supplied with protective plastic cover



Polished Chrome





- Single metal handle
- Decorative trim plate
- Use with G-8070 or G-8075 thermostatic stop/volume control rough valve
- To complete package, you must order rough valve
- ADA



Polished Chrome





### **Product Features**

- Single metal handle and decorative trim plate
- Use with G-8070 or G-8075 thermostatic stop/volume control rough valve


## Available Finishes


- Polished Chrome G-8095-LM38S-PC-T
- Polished Nickel G-8095-LM38S-PN-T
- Steelnox® G-8095-LM38S-SN-T
- Olive Bronze™
  G-8095-LM38S-OB-T
- Architectural Black w/Chrome Accents
   G-8095-LM38S-PC/BK-T

### Warranty


• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en-nam/warranty









- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen



Polished Chrome







- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

## Available Finishes

 Stainless Polished G-8221-SP

### Code Compliance

CALGreen

### Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs

