#### LAKUM COLLECTION

# Lakum 1 Light Pendant Classic Pewter

43090CLP (Classic Pewter)



| Project Name: |
|---------------|
| Location:     |
| Туре:         |
| Qty:          |
| Comments:     |
|               |

## Certifications/Qualifications

| Location Rating   | Dry                      |  |
|-------------------|--------------------------|--|
|                   | www.kichler.com/warranty |  |
| Dimension         |                          |  |
| Dimensions        |                          |  |
| Base Backplate    | 4.75 DIA                 |  |
| Chain/Stem Length | 36"                      |  |
| Weight            | 7.70 LBS                 |  |
| Height            | 20.00"                   |  |
| Overall Height    | 58.00"                   |  |
| Width             | 10.00"                   |  |
|                   |                          |  |

#### Mounting/Installation

| Interior/Exterior | Interior |
|-------------------|----------|
| Lead Wire Length  | 62       |
| Mounting Weight   | 3.30 LBS |

## Primary Lamping

| Lamp Included          | NotIncluded |
|------------------------|-------------|
| Lamp Type              | A19         |
| Light Source           | Incadescent |
| Max or Nominal Watt    | 75W         |
| # of Bulbs/LED Modules | 1           |
| Socket Type            | Medium      |
| Socket Wire            | 150         |

## Product/Ordering Information

| SKU    | 43090CLP     |
|--------|--------------|
| Finish | Pewter       |
| Style  | Transitional |
| UPC    | 783927538275 |

#### Specifications

| Diffuser Description | Clear Seeded |
|----------------------|--------------|
| Material             | STEEL        |
| Max Stem Tilt        | 90 Degrees   |

## Additional Finishes



**Classic Pewter** 

Natural Brass

ablar

Kichler 7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

#### Notes:

 Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
Incandescent Equivalent: The incandescent equivalent as

 Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

